



检测报告

No.IQBVF0XC0729825H9Z

委托单位 江苏盈天化学有限公司

受测单位 江苏盈天化学有限公司

报告日期 2022 年 08 月 26 日



声明
Statement

1. 本报告无检验检测专用章、报告骑缝章和批准人签章无效。
This report is invalid without special seal of inspection, cross-page seal and the approver's signatures.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标,其受《中华人民共和国商标法》保护,任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为,本单位将依法追究其法律责任。
The pattern and characters of "PONY" and "谱尼" used in this report are protected by the trademark law of the People's Republic of China. Any unauthorized usage, counterfeit, forgery and alteration of trademarks of "PONY" and "谱尼" are the violations of the law. The PONY has the right to pursue all legal liabilities of the subject of the delict.
3. 委托单位对报告数据如有异议,请于报告完成之日起十五日内(初级农产品报告请于报告收到之日起五日内)向本单位书面提出复测申请,同时附上报告原件并预付复测费。
If the applicant has any questions about the results, shall provide a written retest application with the original report, and prepay the retest fees to PONY within fifteen days since the approval date (as an exception, it shall be within five days since the date received for the primary agriculture products report).
4. 委托单位办理完毕以上手续后,本单位会尽快安排复测。如果复测结果与异议内容相符,本单位将退还委托单位的复测费。
After the applicant finishes the procedure mentioned above, PONY shall arrange the retest as soon as possible. If the retest result accords with the applicant dissent, PONY shall refund the retest fees.
5. 不可重复性或不能进行复测的实验,不进行复测,委托单位放弃异议权利。
Tests that can not be repeated and tested shall not be carried out again.
6. 委托单位对样品的代表性和资料的真实性负责,否则本单位不承担任何相关责任。
The applicant should undertake the responsibility for the provided samples' representativeness and document authenticity. Otherwise, PONY has not any relevant responsibilities.
7. 本报告仅对所测样品的检测结果负责,报告数据仅反映对所测样品的评价,对于报告及所载内容的使用、使用所产生的直接或间接损失及一切法律后果,本单位不承担任何经济和法律后果。
This report is only responsible for the test results of the tested sample. The test results only represent the evaluation of the tested sample. PONY will not be responsible for any economical or legal liability generated from direct or indirect usage of the test report.
8. 本单位有权在完成报告后按规定方式处理所测样品。
PONY has the right to dispose the tested sample by rules, after approval of the test report.
9. 本单位保证工作的客观公正性,对委托单位的商业信息、技术文件等商业秘密履行保密义务。
PONY assures objectivity and impartiality of the test, and fulfills the obligation of confidentiality for applicant's commercial information, and technique document.
10. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效,本单位将对上述行为追究其相应的法律责任。
The report is invalid in case of illegal transfer, embezzlement, imposture, modification or any altering, reproducing except in full, without approval of PONY. PONY shall investigate and affix the applicant's legal liability accordingly.

▲ 防伪说明 (Anti-counterfeiting Description):

- (1) 报告编号是唯一的;
The test report has exclusive report code.
- (2) 扫描报告首页下方二维码,即可查询报告真伪。
Scan the QR code at the bottom of the first page to check the authenticity of the report.

 全国服务热线
400-819-5688
WWW.PONYTEST.COM



北京实验室:(010)83055000	哈尔滨实验室:(0451)58627755	内蒙古医学实验室:(0471)3591511	武汉实验室:(027)83997127
北京医学实验室:(010)62450233-8010	黑龙江医学实验室:(0451)58603455	太原实验室:(0351)7555722	武汉医学实验室:(027)85446975
北京谱尼科技公司:(010)80415661	郑州实验室:(0371)69350670	成都实验室:(028)87702708	杭州实验室:(0571)87219096
青岛实验室:(0532)88706866	郑州谱尼医学实验室:(0371)63279066	贵州实验室:(0851)85221000	杭州医学实验室:(0571)87219096
青岛医学实验室:(0532)88706866	新疆实验室:(0991)6684186	上海实验室:(021)64851999	宁波实验室:(0574)87977185
天津实验室:(022)23607888	石家庄实验室:(0311)85376660	上海医学实验室:(021)64851999	合肥实验室:(0551)63843474
天津医学实验室:(022)23607888	西安实验室:(029)89608785	苏州实验室:(0512)62997900	深圳实验室:(0755)26050909
长春实验室:(0431)80530198	西安创尼实验室:(029)81123093	苏州汽车安全带及儿童安全座椅	深圳医学实验室:(0755)26050909
吉林医学实验室:(0431)80529700	西安查德威克实验室:(029)62886819	碰撞实验室:(0512)62997900	广州实验室:(020)89224310
大连实验室:(0411)87336618	西安医学实验室:(029)89608785	苏州医学实验室:(0512)62997900	南宁实验室:(0771)5518818
大连医学实验室:(0411)87336618	呼和浩特实验室:(0471)3450025	武汉车附所:(027)82318175	厦门实验室:(0592)5568048



谱尼测试
Pony Testing International Group

检测报告

No.IQBVF0XC0729825H9Z

第1页, 共3页

委托单位	江苏盈天化学有限公司		
受测单位	江苏盈天化学有限公司		
受测地址	常州市新北区龙江北路 1508 号 (春江镇化工园区内)		
样品类别	锅炉废气	检测类别	委托检测
样品来源	采样		
检测项目	见数据页		
检测方法	见附表 1		
检测仪器	见附表 2		
备注	该报告中检测方法和评价标准由委托单位指定。		
编制人	杨玉玉	审核人	吴军
批准人	吴军	签发日期	2012年08月16日



检测报告

No.IQBFV0XC0729825H9Z

第 2 页，共 3 页

检测结果:

采样日期	2022-08-18	检测日期	2022-08-19~2022-08-22				
锅炉名称型号/编号	焚烧炉 (回转窑/GKS-100)	样品编号	C0729825H9~C0729845H9				
锅炉投运日期	2020.9	制造单位	/				
锅炉容量(t/h)	/	主要燃料	危废				
排气筒名称	DA002	排气筒高度（m）	50				
净化设备名称/型号	/	净化方式	SNCR 脱销+烟气急冷+干式脱酸+喷射活性炭+布袋除尘+湿法脱酸+湿电除尘+活性炭吸附+烟气加热				
采样位置	排气筒出口采样口						
检测项目		检测结果				限值	判定
		第一次	第二次	第三次	平均值		
烟气含氧量（%）		9.4	9.6	9.3	9.4	/	/
测点烟气温度（℃）		117	115	117	116	/	/
烟气含湿量（%）		19.9	19.6	19.6	19.7	/	/
烟气流速（m/s）		6.6	6.7	6.8	6.7	/	/
标态干废气量（m³/h）		33629	34157	34484	34090	/	/
N,N-二甲基甲酰胺	实测排放浓度(mg/m³)	<0.1	<0.1	<0.1	<0.1	30	合格
	实测排放速率(kg/h)	<3.36×10 ⁻³	<3.42×10 ⁻³	<3.45×10 ⁻³	<3.41×10 ⁻³	8.1	合格

——本页以下空白——

检测报告

No.IQBVF0XC0729825H9Z

第 3 页, 共 3 页

附表 1:

检测项目方法仪器一览表

检测项目	检测方法	检测仪器	采样仪器	采样方法
N,N-二甲基甲酰胺	环境空气和废气 酰胺类化合物的测定 液相色谱法 HJ 801-2016	液相色谱仪	自动烟尘(气)测试仪、双路烟气采样器	固定污染源排气中颗粒物测定与气态污染物采样方法 GB/T 16157-1996 及修改单

附表 2:

检测仪器 (名称、型号、公司编号)

设备名称	设备型号	公司编号
自动烟尘(气)测试仪	3012H	IE019-17
双路烟气采样器	ZR-3712	IE018-21
液相色谱仪	1260	IE069-12

附表 3:

限值标准: DB 32/3151-2016 《化学工业挥发性有机物排放标准》(江苏省地方标准) 表 1

污染物	排气筒高度 (m)	最高允许排放浓度 (mg/m ³)	最高允许排放速率 (kg/h)
N,N-二甲基甲酰胺	50	30	8.1

——以下空白——